

BESS Module 43 kWh

Liquid-cooled BESS module based on prismatic LFP cells



Liquid-cooled BESS module based on HiTHIUM prismatic LFP BESS Cell 280 Ah with high cyclic lifetime.

Specially optimised for use in stationary battery storage systems with the highest requirements on safety, reliability and performance. Suitable e.g. for industrial, utility, and grid serving applications.

- Product certifications: IEC 62619 (cell level), UL 1973, UL 9540A, UN 38.3
- Company certifications: ISO 9001, ISO 14001, ISO 45001
- Environmental Compliance: ROHS, REACH

High safety

- Based on HiTHIUM BESS 280 Ah prismatic LFP cell with high thermal stability
- High thermal stability thanks to liquid cooling

Low LCOS (Levelised Cost of Storage)

- Long cycle life thanks to advanced material and process technologies
- Excellent thermal management improves energy throughput by ensuring optimal operating temperature

BESS Module 43 kWh

Liquid-cooled BESS module based on prismatic LFP cells with high cyclic lifetime



GENERAL	
Cell Type	HiTHIUM LFP71173207
Cell Capacity	280 Ah ^{1,2}
Battery Configuration	1P48S
Cooling Method	Liquid Cooling
Coolant Volume	1.2
Coolant	50 % Water / 50 % Glycol
Gravimetric	> 138 Wh/kg
Volumetric	> 195 Wh/l
Туре	LFP280-1P48S
Application Altitude	≤ 3,000 m

MECHANICAL	
Dimensions (L x W x H)	820 x 1,092 x 245 mm
Weight	310 kg
Protection Level	IP 67

TEMPERATURE RANGE	
Operating	-30 °C 50 °C ³
Storing (recommended)	-20 °C 35 °C ³

PRODUCT CERTIFICATIONS	
Certificates and Reports	IEC 62619 (Cell level), UL 1973, UL 9540A, UN 38.3

ELECTRICAL	
Nominal Voltage	153.6 V
Operating Voltage	T > 0 °C 120 175.2 V
	T ≤ 0 °C 96 175.2 V
Nominal Energy	43.008 kWh ^{1, 2}
Nominal SOC at delivery	27 % ²
Nom. Charge / Discharge Rate	0.5 P / 0.5 P ²
Max. Charge / Discharge Rate	1 P/1 P ²

ENVIRONMENTAL	
Compliance	ROHS, REACH
	Cobalt free

COMPANY CERTIFICATIONS	
	ISO 9001, ISO 14001, ISO 45001

HiTHIUM Energy Storage Technology USA Inc.

Address: 4046 Clipper Ct, Fremont, CA 94538, United States Email: hithium@hithium.com

Xiamen HiTHIUM Energy Storage Technology Co., Ltd.

Address: HiTHIUM Industrial Park, Tongxiang High-Tech Zone, Xiamen, Fujian, China | Email: hithium@hithium.com





¹ 0.5 P / 0.5 P

² 25 °C +/- 2.0

³ ambient temperature